



ROOFLIGHT/FAN/VENT/HATCH/ETC.

SEAL BY M&E
SUBCONTRACTOR

NOTE - THIS KERB EITHER NEEDS
TO BE TAPERED, OR IN 2 PIECES
TO ACHIEVE REQUIRED FALL

APERTURE
WEATHERING

GALVANISED STEEL
UPSTAND KERB
(HEIGHT VARIES)

GALVANISED STEEL
HPS200/PVF2 COATED
UPSTAND FLASHING

PIR BOARD
INSULATION

GALVANISED STEEL
SUPPORT

TRIMMING STEELWORK

REVISIONS:	DATE:	RICHMOND ROAD, TRAFFORD PARK, MANCHESTER. M17 1RE TEL: 0161 772 1750 FAX: 0161 772 1751 E-mail: mphilbin@aperturesp.co.uk	 seamless possibilities	Project STANDARD DETAILS.		TWIN SKIN ROOFING. STD. ROOF OPENING.- 90 DEGREES TO FLOOR. SIDE DETAILS.	
				DRAWING STATUS AS INDICATED BELOW			
				FOR TENDERING	FOR APPROVAL	Checked MJP.	Dwg. No.
				PRELIMINARY	FOR CONSTRUCTION	Scale NTS. (on A3)	Rev.
					AS BUILT		STD-B5